



健隆投資有限公司  
**STRONG BASE INVESTMENT LTD.**

Unit 17, 11/F., Hewlett Centre, 52-54 Hoi Yuen Road, Kwun Tong, Kowloon, Hong Kong.  
 Tel: (852) 2793 3293 Fax: (852) 2793 3096



**Approval Sheet**  
**(確認書)**

編號 Ref. No.	130620-02
日期 Issued Date	2013-6-20

公司名稱 : \_\_\_\_\_  
 Company Name

產品編號 : E3-2056AUG1  
 Part No.

產品種類 : 数码显示板  
 Category

產品描述 : 0.56Inch、高亮黄绿光、双位、共阳、灰面白字  
 Description

客戶產品編號 : \_\_\_\_\_  
 Customer No.

備注 : \_\_\_\_\_  
 Remarks

STRONG BASE			
ISSUER	APPROVER	CHECKER	ENGINEER
	曾雪昭	何春宁	刘丁

Authorized Signature 客戶簽字				
部門 Department				
簽字 Signature				

工廠名稱: 宇之亮電子(深圳)有限公司  
 工廠地址: 廣東省深圳市龍崗區橫崗鎮荷坳村金源工業區  
 Company Name: Pretty Light (Shen Zhen) Limited  
 Factory Address: jin-Yuan, Industrial Zone He-Ao Cun, Heng-Gang  
 Zhen Long-Gang Area, Shen-Zhen City,  
 TEL: (755) 8976 7353 FAX: (755) 89767754



健隆投資有限公司

**STRONG BASE INVESTMENT LTD.**

Unit 17, 11/F., Hewlett Centre, 52-54 Hoi Yuen Road, Kwun Tong, Kowloon, Hong Kong.

Tel: (852) 2793 3293 Fax: (852) 2793 3096



**PART No: E3-2056AUG1**

**Client:**

### Single Chip Light Electricity Characteristic Data

#### ※Absolute Maximum Ratings at Ta=25°C

Parameter	Rating	Unit
Power Dissipation Per Chip	50	mW
Perk Forward Current Per Chip (Frequency 10KHz, 1/10Duty Cycle)	60	mA
Reverse Voltage Per Chip	5	V
Operating Temperature Range	-20~+80	°C
Storage Temperature Range	-20~+85	°C
Storage Humidity	45% ~ 85%	

#### ※Electrical and Optical Characteristics at Ta=25°C

Parameter	Symbol	Condition	Color	Min	Typ	Max	Unit
Forward Voltage Per Chip	VF	IF=20mA	Y-Green	1.9	2.2	2.6	v
Reverse Current	IR	VR=5V	-	-	-	50	uA
Luminous Intensity Per Chip	IV	IF=20mA	Y-Green	8	12	16	mcd
Dominant Wave Length	$\lambda d$	IF=20mA	Y-Green	568	571	573	nm
Normal Forward Current	IF		All Color	5	10	20	mA

Note: Soldering Bath: not more than 4 seconds @260°C。The bottom ends of plastic reflector should be at least 2mm above the solder surface。

Soldering Iron: not more than 3 seconds @300°C under 30W。



健隆投資有限公司

**STRONG BASE INVESTMENT LTD.**

Unit 17, 11/F., Hewlett Centre, 52-54 Hoi Yuen Road, Kwun Tong, Kowloon, Hong Kong.


Tel: (852) 2793 3293 Fax: (852) 2793 3096



**PART No.:** E3-2056AUG1

**Client:**

**PACKAGE DIMENSION**(Unit: mm Tolerance:  $\pm 0.5$ )



**INTERNAL CIRCUIT DIAGRAM**

Pin Function

