

SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:	
PART NO: LCB1608-102Y-N		DWG.NO: SI1634241	
CUSTOMER PART NO:		CUST.DWG.NO:	
<p>(1) DIMENSIONS (UNIT: mm)</p>		A	1.6 ± 0.15 m/m
		B	0.8 ± 0.15 m/m
		C	0.8 ± 0.15 m/m
		D	0.3 ± 0.20 m/m
		E	m/m
		F	m/m
		G	m/m
		H	m/m
		I	m/m
		J	m/m
(2) ELECTRICAL REQUIREMENTS			
Z (Ω)	1000 ± 25%	TEST FREQ	100MHz
RDC (Ω)	0.20 (MAX)	TEST FREQ	
IDC (mA)	1000 (MAX)	TEST FREQ	
TEST INSTRUMENTS HP4291A HP4287A+HP16092A HP4338B		APPROVED BY 吳載敏	
		CHECKED BY 張明德	
		DRAWN BY 黃慧診	

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: LCB1608-102Y-N				DWG.NO: SI1634241					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)						
FREQ	100MHz								
SPEC	1000 ± 25%	0.20 (MAX)	1000 (MAX)						
1	973	0.123	OK						
2	990	0.120	OK						
3	1024	0.125	OK						
4	1023	0.117	OK						
5	1033	0.124	OK						
6	1024	0.125	OK						
7	1023	0.117	OK						
8	1033	0.124	OK						
9	973	0.123	OK						
10	990	0.120	OK						
\bar{X}	1009	0.122							
R	60	0.008							
							APPROVED BY		
							吳載敏		
							CHECKED BY		
							張明德		
							DRAWN BY		
							黃慧診		

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB1608-102Y-N

